




lumeplus

Continuous Row System

lumeplus



**Dimension diagram**





## Specification



**Power**  
18W/36W



**Color Temperature**  
3000/4000K



**RA**  
Ra>80/Ra>90



**Light Source**  
LED



**Lamp Material**  
Alu.+PMMA



**Lighting Material**  
PMMA



**Lamp Color**  
White/ Black



**Installation**  
Suspending/Ceiling



**Certification**  
CE/ROHS



**Application**  
Office/Indoor Building/Meeting Room/Shopping Mall




**Dimmable**  
0-10V/dali

Batten Light

lumeplus



**Dimension diagram**





## Specification



**Power**  
32W/48W



**Color Temperature**  
3000/4000K



**RA**  
Ra>80/Ra>90



**Light Source**  
LED



**Lamp Material**  
Alu.+PC



**Lighting Material**  
PC



**Lamp Color**  
White/ Blue



**Installation**  
Suspending/Ceiling




**Certification**  
CE/ROHS




**Application**  
Office/School/Factory/Library/Studio

Clear Pendant

lumeplus



**Dimension diagram**





## Specification



### Power

18W/36W/48W



### Color Temperature

3000/4000K/  
3000-6000K



### RA

Ra>80/Ra>90



### Light Source

LED



### Lamp Material

Alu.+PMMA



### Lighting Material

PMMA



### Lamp Color

Silver Gray



### Installation

Suspending/Ceiling



### Certification

CE/ROHS



### Application

Office/Indoor Building/Study/Restaurant



### Dimmable


0-10V/dali/2.4G

Ring Clear Pendant

lumeplus



### Dimension diagram





lumeplus



## Specification



**Power**  
36W



**Color Temperature**  
3000-6000K



**RA**  
Ra>80/Ra>90



**Light Source**  
LED



**Lamp Material**  
Alu.+PMMA



**Lighting Material**  
PMMA



**Lamp Color**  
Silver Gray



**Installation**  
Suspending



**Certification**  
CE/ROHS



**Application**  
Meeting Room/Cafe/Teahouse/Restaurant




**Dimmable**  
2.4G

Round Clear Pendant

lumeplus



**Dimension diagram**





## Specification



**Power**  
24W



**Color Temperature**  
3000-6000K



**RA**  
Ra>80/Ra>90



**Light Source**  
LED



**Lamp Material**  
Alu.+PMMA



**Lighting Material**  
PMMA



**Lamp Color**  
Silver Gray



**Installation**  
Suspending




**Certification**  
CE/ROHS






**Application**  
Meeting Room/Cafe/Teahouse/Restaurant



**Dimmable**  
2.4G



**Dimension diagram**





## Specification



**Power**

9W/14W/18W



**Color Temperature**

3000/4000K



**RA**

Ra>80/Ra>90



**Light Source**

LED



**Lamp Material**

Alu.+PMMA



**Lighting Material**

PMMA



**Lamp Color**

Silver Gray



**Installation**

Wall Mounted



**Certification**

CE/ROHS




**Application**

Bedroom/Toilet



**Dimension diagram**





## Specification



**Power**  
3W/6W



**Color Temperature**  
3000/4000K



**RA**  
Ra>80/Ra>90



**Light Source**  
LED



**Lamp Material**  
Alu.+PMMA



**Lighting Material**  
PMMA



**Lamp Color**  
Silver Gray




**Installation**  
Wall Mounted




**Certification**  
CE/ROHS



**Application**  
Living room/Corridor/Bedroom/Toilet



**Dimension diagram**







## Specification



**Power**  
10W



**Color Temperature**  
3000/4000K



**RA**  
Ra>80/Ra>90



**Light Source**  
LED



**Lamp Material**  
Alu.+PMMA



**Lighting Material**  
PMMA



**Lamp Color**  
Silver Gray



**Installation**  
Placed



**Certification**  
CE/ROHS



**Application**  
Office Table/Desk/Bedside



lumeplus

[www.lumeplus.com](http://www.lumeplus.com)

16192 Coastal Hwy, Lewes, DE 19958

Email: [info@lumeplus.com](mailto:info@lumeplus.com)