

Magnetic System

01 8ME series

- Easy install
- Modular design
- Space lighting and directional lighting fusion





01 8MMH 10

01 8MME 15

01 8MME 10

01 8MME 5


01 8MMG 5

Linear Solution

The power of this light source lies in its slenderness and unobtrusiveness; the simplicity of the fixtures' design makes that it can be used anywhere. It can be built-in, surface mounted or hung from the ceiling. An innovative and state-of-the-art magnet and contact system makes that a wide variety of LED-fixtures can be inserted or moved.

The LED-fixtures are similar in style yet each one of them has its own character and lighting quality: a mini spotlight 'dot', built-in or surface mounted strips 'in', 'in small' and 'out'.







01 8MMC 15

1 8MMC 30

01 8MMB 30


1 8MMA 15



Linear Solution




01 8ME family magnetic connection system, can directly install the lamp module without cable.



01 8MEC adaptability, can be used in the wall or ceiling embedded flat and right angle.

01 8ME can also have a lifting plane at right angles

Quick installation and removal of products




Linear Solution 01 8ME Family

The suspended Headliner profile uses steel cables, blending seamlessly with its environment and matching the pure and simple design of this profile.


The suspension height is easy to adapt on-site thanks to the automatic adjustment system.

LED linear light profile can be integrated in nearly all ceiling types, specifically developed with rapid and easy installation in mind.



The recessed version is available either with or without trim, for perfect integration into all surroundings.



01 8MMA 15




- Power** 15W
- CCT** 3000K ● 4000K ● 6500K ○
- Voltage** DC48V
- Output Lumens** 1200 lm
- CRI** >80
- Material** Aluminum
- Color** White / Black
- Life** 30 000 H
- Warranty** 3 Years



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
109.2°			
1.5	35	116	422
2	20	65	563
4	5	16	1125
4.5	4	13	1266
6	2	7	1688


14.8W 510lm Ra:83




HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
113.4°			
1.5	32	115	457
2	18	65	610
4	5	16	1219
4.5	4	13	1371
6	2	7	1829

15.2W 655lm Ra:83

01 8MMB 30




- Power** 30W
- CCT** 3000K ● 4000K ● 6500K ○
- Voltage** DC48V
- Output Lumens** 2400 lm
- CRI** >80
- Material** Aluminum
- Color** White / Black
- Life** 30 000 H
- Warranty** 3 Years



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
109.2°			
1.5	73	248	437
2	41	140	583
4	10	35	1168
4.5	8	28	1312
6	5	16	1750



26.1W 1004lm Ra:84



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
104.1°			
1.5	67	195	385
2	38	110	513
4	9	27	1026
4.5	7	22	1155
6	4	12	1540


24.8W 982lm Ra:83

01 8MMC 15



- Power** 15W
- CCT** 3000K ● 4000K ● 6500K ○
- Voltage** DC48V
- Output Lumens** 1200 lm
- CRI** >80
- Material** Aluminum
- Color** White / Black
- Life** 30 000 H
- Warranty** 3 Years


120°
LED 3000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
109.2°			
1.5	32	114	456
2	18	64	608
4	5	16	1217
4.5	4	13	1369
6	2	7	1825

14.8W 510lm Ra:83



120°
LED 4000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
113.4°			
1.5	33	127	487
2	18	71	650
4	5	18	1299
4.5	4	14	1462
6	2	8	1949


15.2W 655lm Ra:83

01 8MMC 30



- Power** 30W
- CCT** 3000K ● 4000K ● 6500K ○
- Voltage** DC48V
- Output Lumens** 2400 lm
- CRI** >80
- Material** Aluminum
- Color** White / Black
- Life** 30 000 H
- Warranty** 3 Years


120°
LED 3000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
109.2°			
1.5	73	248	437
2	41	140	583
4	10	35	1168
4.5	8	28	1312
6	5	16	1750

26.1W 1004lm Ra:84


120°
LED 4000K
CODE:AA8888888




HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
104.1°			
1.5	67	195	385
2	38	110	513
4	9	27	1026
4.5	7	22	1155
6	4	12	1540

24.8W 982lm Ra:83

01 8MME 5




Power 5W
CCT 3000K ● 4000K ● 6500K ○
Voltage DC48V
Output Lumens 400 lm
CRI >80
Material Aluminum
Color White / Black
Life 30 000 H
Warranty 3 Years




HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
1.5	251	366	84
2	141	206	113
4	35	51	226
4.5	28	41	255
6	16	23	339

5.7W 240lm Ra:92




HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
1.5	357	520	86
2	201	293	115
4	50	73	231
4.5	40	58	259
6	22	33	346

7.7W 304lm Ra:92



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
1.5	419	663	96
2	236	373	128
4	59	93	256
4.5	47	74	288
6	26	41	385



7.4W 509lm Ra:84







HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
1.5	313	480	99
2	176	270	133
4	44	68	265
4.5	35	53	298
6	20	30	398

6.2W 393lm Ra:83



01 8MME 10



- Power** 10W
- CCT** 3000K ● 4000K ● 6500K ○
- Voltage** DC48V
- Output Lumens** 800 lm
- CRI** >80
- Material** Aluminum
- Color** White / Black
- Life** 30 000 H
- Warranty** 3 Years




01 8MME 15



- Power** 15W
- CCT** 3000K ● 4000K ● 6500K ○
- Voltage** DC48V
- Output Lumens** 1200 lm
- CRI** >80
- Material** Aluminum
- Color** White / Black
- Life** 30 000 H
- Warranty** 3 Years


35°
LED 3000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
35.3°			
1.5	757	1173	96
2	426	660	127
4	106	165	255
4.5	84	130	287
6	47	73	382

15.4W 821lm Ra:91


35°
LED 4000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
42.7°			
1.5	715	1118	99
2	402	629	132
4	101	157	264
4.5	79	124	297
6	45	70	396

16.2W 1008lm Ra:94


45°
LED 3000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
36.6°			
1.5	779	1233	99
2	438	693	132
4	110	173	265
4.5	87	137	298
6	49	77	397

15.3W 962lm Ra:93



45°
LED 4000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
36.4°			
1.5	825	1292	99
2	464	727	132
4	116	182	263
4.5	92	144	296
6	52	81	395


15.3W 1018lm Ra:93

01 8MMG 5



- Power** 5W
- CCT** 3000K ● 4000K ● 6500K ○
- Voltage** DC48V
- Output Lumens** 400 lm
- CRI** >80
- Material** Aluminum
- Color** White / Black
- Life** 30 000 H
- Warranty** 3 Years


120°
LED 3000K
 CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
1.5	9	34	430
2	5	19	573
4	1.3	5	1146
4.5	1	4	1289
6	0.6	2	1719

5.1W 190lm Ra:83

120°
LED 4000K
 CODE:AA8888888





HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
1.5	8	30	533
2	4	17	710
4	1	4	1420
4.5	0.8	3	1598
6	0.5	2	2130

5.1W 208lm Ra:81




01 8MMEA 5



- Power** 5W
- CCT** 3000K ● 4000K ● 6500K ○
- Voltage** DC48V
- Output Lumens** 400 lm
- CRI** >80
- Material** Aluminum
- Color** White / Black
- Life** 30 000 H
- Warranty** 3 Years


35°
LED 3000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
33.4°			
1.5	234	348	90
2	131	196	120
4	33	49	240
4.5	26	39	270
6	15	22	360

5.8W 241lm Ra:92


35°
LED 4000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
29.5°			
1.5	305	445	69
2	172	250	92
4	43	63	184
4.5	34	49	207
6	19	28	276

5.5W 535lm Ra:84


45°
LED 3000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
33.6°			
1.5	174	250	90
2	98	141	121
4	25	35	241
4.5	19	28	271
6	11	16	362

5.6W 231lm Ra:91



45°
LED 4000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
34.3°			
1.5	251	381	92
2	141	214	123
4	35	54	247
4.5	28	42	277
6	16	24	370


5.5W 215lm Ra:92

01 8MMEA 10



- Power** 10W
- CCT** 3000K ● 4000K ● 6500K ○
- Voltage** DC48V
- Output Lumens** 800 lm
- CRI** >80
- Material** Aluminum
- Color** White / Black
- Life** 30 000 H
- Warranty** 3 Years


35°
LED 3000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
1.5	242	371	122
2	136	209	162
4	34	52	324
4.5	27	41	365
6	15	23	487

9.6W 686lm Ra:83


35°
LED 4000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
1.5	274	377	88
2	154	212	118
4	39	53	236
4.5	30	42	265
6	17	24	353

9.3W 823lm Ra:83


45°
LED 3000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
1.5	710	1091	93
2	400	614	124
4	100	153	248
4.5	79	121	279
6	44	68	372

6.6W 230lm Ra:91



45°
LED 4000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
1.5	506	774	90
2	285	746	120
4	71	109	240
4.5	56	86	269
6	32	48	359


11.5W 378lm Ra:92

01 8MMEA 15




- Power** 15W
- CCT** 3000K ● 4000K ● 6500K ○
- Voltage** DC48V
- Output Lumens** 1200 lm
- CRI** >80
- Material** Aluminum
- Color** White / Black
- Life** 30 000 H
- Warranty** 3 Years

35°
LED 3000K
CODE:AA8888888




HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
33.1°			
1.5	907	1335	89
2	510	751	119
4	128	188	238
4.5	101	148	267
6	57	83	357
15.1W 677lm Ra:92			

35°
LED 4000K
CODE:AA8888888




HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
31.7°			
1.5	934	1394	85
2	526	784	114
4	131	196	227
4.5	104	155	255
6	58	87	341
15.3W 779lm Ra:93			

45°
LED 3000K
CODE:AA8888888




HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
36.4°			
1.5	825	1292	99
2	464	727	132
4	116	182	263
4.5	92	144	296
6	52	81	395
15.1W 677lm Ra:92			

45°
LED 4000K
CODE:AA8888888




HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
42.7°			
1.5	421	617	117
2	237	347	156
4	59	87	313
4.5	47	69	352
6	26	39	469
9.3W 823lm Ra:83			

01 8MSS 8



- Power** 8W
- CCT** 3000K ● 4000K ● 6500K ○
- Voltage** DC48V
- Output Lumens** 640 lm
- CRI** >80
- Material** Aluminum
- Color** White / Black
- Life** 30 000 H
- Warranty** 3 Years


10°
LED 3000K
 CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
12.4°			
1.5	2499	3096	32
2	1406	1742	43
4	351	435	87
4.5	278	344	97
6	156	194	130

9.7W 278lm Ra:92


10°
LED 4000K
 CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
12.5°			
1.5	1105	1198	33
2	622	674	44
4	155	168	87
4.5	123	133	98
6	69	75	131


9.1W 293lm Ra:91

01 8MMH 10



- Power** 10W
- CCT** 3000K ● 4000K ● 6500K ○
- Voltage** DC48V
- Output Lumens** 800 lm
- CRI** >80
- Material** Aluminum
- Color** White / Black
- Life** 30 000 H
- Warranty** 3 Years


120°
LED 3000K
 CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
151.4°			
1.5	5	64	1177
2	3	36	1569
4	0.7	9	3137
4.5	0.6	7	3529
6	0.3	4	4706

13.7W 581lm Ra:91

120°
LED 4000K
 CODE:AA8888888




HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
126.8°			
1.5	11	50	599
2	6	28	798
4	1.5	7	1597
4.5	1.2	6	1796
6	0.7	3	2395

12.6W 350lm Ra:92

Product information


01 8MEN Track Feeder



Material Aluminum
Color White / Black

* Including below items
 PCB/1pcs end cap/small profile/feeder cable/1 side connector
 used for the first power in track


01 8MEN Track



Material Aluminum
Color White / Black

* Including below items
 PCB/small profile/2 side connector
 used for the middle track


01 8MEN Track Feeder Single



Material Aluminum
Color White / Black

* Including below items
 PCB/2pcs end cap/small profile/feeder cable
 used for only 1 pcs track independant

01 8MECL




Material Aluminum
Color White / Black

* Aluminum profile only, can be delivery 1/2/3m length


Product information

01 8MEC




Material Aluminum
Color White / Black
 * Aluminum profile only, can be delivery 1/2/3m length

01 8MEH




Material Aluminum
Color White / Black
 * Aluminum profile only, can be delivery 1/2/3m length

01 8MECN Track Feeder



Material Aluminum
Color White / Black
 * Including below items
 PCB/1pcs end cap/small profile/feeder cable/1 side connector
 used for the first power in track


01 8MECN Track



Material Aluminum
Color White / Black
 * Including below items
 PCB/small profile/2 side connector
 used for the middle track


Product information

01 8MECN Track Feeder Single




Material Aluminum
Color White / Black
 * Including below items
 PCB/2pcs end cap/small profile/feeder cable
 used for only 1 pcs track independant

Cap 01 8ME





Material Aluminum
Color White / Black

Cap 01 8MEC



Material Aluminum
Color White / Black


Cap 01 8MECL



Material Aluminum
Color White / Black


Product information

01 8ME corner H





Material Aluminum
Color White / Black
 * kit for every items pcb/connector inside

01 8ME corner V




Material Aluminum
Color White / Black
 * kit for every items pcb/connector inside

01 8MEC corner H



Material Aluminum
Color White / Black
 * kit for every items pcb/connector inside



01 8MEC corner V



Material Aluminum
Color White / Black
 * kit for every items pcb/connector inside


Product information

01 8MECN corner H




Material Aluminum
Color White / Black
 * kit for every items pcb/connector inside

01 8MECN corner V





Material Aluminum
Color White / Black
 * kit for every items pcb/connector inside

C-connector 01 8ME



Material Aluminum
Color White / Black


C-connector 01 8MEC



Material Aluminum
Color White / Black


Product information

S-mounted



Material Iron
Color White / Black

Cable 01 8ME



Material Aluminum
Color White / Black

